



**POWERSTAR**  
trucks built to last

# FT3

## Light Range Trucks



*Picture is for illustration purposes only*

A brand of

**EVERSTAR**  
industries

[www.everstarindustries.com](http://www.everstarindustries.com)

Driven by Vision. Powered by Strength.

## ENGINE

Make	Cummins FT3 7515-34 Euro 3
Model Configuration	ISF3.8s3154
Max Power - Kw @ r/min	115/2600
Max Torque - N.m @ r/min	500/1200~1900
HP	154
Cylinder	4 Inline
Water Cooled	Yes
Direct Injection	Yes / Common Rail
Engine Driven P.T.O	No
Displacement (l)	3,76
Compression Ratio	17.2:1

## BRAKES

Service	Air Brake
Emergency / Parking	N/A
Auxiliary	Exhaust Brake

## STANDARD TYRE EQUIPMENT

Size and ply rating	215/75R17.5-16PR
---------------------	------------------

## FRONT AXLE

Type	Forged I-beam
Suspension	Non-independent, front and rear leaf spring
Brake	Disc

## REAR AXLE

Type	Integral
Suspension	Non-independent, front and rear leaf spring
Brake	Drum

## ELECTRICAL EQUIPMENT

Alternator	70 Amp
Starter Motor	24 Volt/3.6 KW
Batteries	2 x 12V - 100Ah

## PERFORMANCE DATA

Gradeability @ GVM	30%
Max Geared Road Speed	113 km/h
Final Drive Ratio	4,11

## CLUTCH

Make / Type / Size	ø350
Operation	Diaphragm spring clutch

## WARRANTY

New Vehicle	2 Year/Unlimited Mileage
-------------	--------------------------

## TRANSMISSION

Make/Model	ZF Ecolite 6S500T0
No Gears	6
Synchromesh or Constant Mesh	Synchromesh
Transfer Box	N/A
P.T.O	No PTO - PTO Interface Only

## RATIO

Crawler	
1st	6.198
2nd	3.287
3rd	2.025
4th	1.371
5th	1.00
6th	0.78
7th	-
8th	-
9th	-
10th	-
11th	-
12th	-
13th	-
14th	-
15th	-
16th	-
Reverse L	N/A
Reverse H	5.681

## DIMENSIONS

Overall Length (OL)	5 875
Overall Width (OW)	2 250
Overall Height (OH)	2 280
Front Overhang (FOH)	1 135
Rear Overhang (ROH)	1 380
Wheel Base (WB)	3 360
Bumper to Back of Cab (BBC)	1 795
Cab to rear axle / unit (CA)	2700
Turning Radius (TR)	9
Fuel Tank Capacity (FTC)	120 LTR Aluminium

## MASS INFORMATION

Manufacturers Gross Vehicle Mass (GVM)	7 500
Manufacturers Gross Combination Mass (GCM)	9 500
Manufacturers Front Axle Mass (GA)	2 600
Manufacturers Rear Axle Mass (GAU)	5 500
Permissible Maximum Vehicle Mass (V)	7 500
Permissible Maximum Front Axle Mass (AF)	2 600
Permissible Maximum Rear Axle Mass (AR)	5 500
Unladen Front Axle Mass (UF)	1 600
Unladen Rear Axle Mass (UR)	960
Total Unladen Mass (UT)	2 560
Permissible Max Drawing Vehicle Mass (D/T)	9 500

## CAB

Day Cab	Yes
---------	-----



Visit [www.everstarindustries.com](http://www.everstarindustries.com) for dealer network

Please note: The manufacturer reserves the right to make changes to the design, form, colour and specifications of any Powerstar brochure without notice. The picture shown is for illustrated purposes only.

 **POWERSTAR**  
trucks built to last